



Snoqualmie Pass Utility District

STATE ENVIRONMENTAL POLICY ACT

Determination of Non-Significance

February 14, 2022

Lead agency: Snoqualmie Pass Utility District

Agency Contact: Tom Hastings, General Manager, thastings@snopass.org, 425-434-6600

Description of proposal: the Snoqualmie Pass Utility District 2022 Water System Plan

Location of proposal: within the existing water service area of the Snoqualmie Pass Utility District. This covers approximately 11 square miles in and around the summit of Snoqualmie Pass.


Applicant: Tom Hastings, General Manager, thastings@snopass.org, 425-434-6600

The Snoqualmie Pass Utility District (lead agency) has determined that this proposal will not have a probable significant adverse impact on the environment. An environmental impact statement (EIS) is not required under RCW 43.21C.030. The attached Environmental Checklist and other information available. This information is available at: www.snopass.org

This determination was made after reviewing a completed environmental checklist and other information on file with the lead agency.

This DNS is issued under WAC 197-11-340(2) and the comment period will end on Mar 4, 2022.

Responsible Official: Tom Hastings, General Manager, 425-434-6600

Signature 
(electronic signature or name of signor is sufficient)

Date Feb 14, 2022

Appeal process: Appeals or comments must be made in writing and received by the District no later than 3 pm on March 4, 2022. Mail can be sent to SPUD, PO BOX 131, Snoqualmie Pass, WA 98068. Or dropped off at District offices located at 932 Hyak Drive.